Patient Name:					Rater:		
Date:							
	4	Cont	or for 1	ntogr	entina Pa	sychology	
	'		-	_		Questionnaire	
		Amen		ty and De	pression Type	Questionnane	
	•				_	e. If possible, to give us the most or parent) rate you as well.	
	0	1	2	3	4	NA	
	ever	Rarely	Occasionally	Frequently	Very Frequently	Not Applicable/ Not Known	
Self	Other	F	1' C	٠,			
	1. Frequent feelings of nervousness or anxiety2. Panic attacks						
				of foor of hovin	g an anxiety attack		
						s hand tremor)	
	4. Symptoms of heightened muscle tension (headaches, sore muscles, hand tremor)5. Periods of heart pounding, nausea or dizziness						
			predict the worst	ised of dizzine	55		
		•		obias (such as	dying, doing somethi	ing crazy)	
		Conflict avo	_	`	<i>, e</i> , <i>e</i>	2 37	
	9.	Excessive fe	ear of being judged	l or scrutinized	l by others		
	10	. Quick startl	e or tendency to fi	reeze in anxiet	y provoking or intens	se situations	
		•	timid, and easily e				
		_	nails or picks skin				
			ad, or "empty" mo				
					are usually fun, inclu	iding sex	
			s, irritability, or ex				
					s, hopelessness, pess	ımısm	
			o much or too little	•	_		
			d/or weight loss of energy, fatigue, fee				
			f death or suicide,				
		-	oncentrating, rem		-		
		•	_	-	spond to treatment, su	ich as	
			digestive disorders				
	23		egativity or chron		-		
	24	. Persistent fo	eel of being dissati	sfied or bored			
	25	. Excessive o	or senseless worryi	ng			
	26	. Upset when	things are out of	place or things	don't go the way you	u planned	
		•	o be oppositional of	-			
		•	o have repetitive n	-	ious thoughts		
			oward compulsive	behaviors			
			ike for change				
			o hold grudges				
			seeing options in		listan to sthem		
		•	o hold on to own o	•		neat	
	34	. Needing to	nave unings done	a certain way c	or you become very u	psei	

Continue on next page

Self	Other					
	35. Others complain that you worry too much					
	36. Tend to say no without first thinking about question					
	37. Periods of abnormally elevated, depressed, or anxious mood					
	38. Periods of decreased need for sleep, feel energetic on dramatically less sleep					
	than usual					
	39. Periods of grandiose notions					
	40. Periods of increased talking or pressured speech					
	41. Periods of too many thoughts racing though the mind					
	42. Periods of markedly increased energy					
	43. Periods of poor judgment that leads to risk-taking behavior (separate from usual					
	behavior)					
	44. Periods of inappropriate social behavior					
	45. Periods of irritability or aggression					
	46. Periods of delusional or psychotic thinking					
	47. Short fuse or periods of extreme irritability					
	48. Periods of rage with little provocation					
	49. Often misinterprets comments as negative when they are not					
	50. Periods of spaciness or confusion					
	51. Periods of panic and/or fear for no specific reason					
	52. Visual or auditory changes, such as seeing shadows or hearing muffled sounds					
	53. Frequent periods of deja vu (feelings of being somewhere you have never been)					
	54. Sensitivity or mild paranoia					
	55. Headaches or abdominal pain of uncertain origin					
	56. History of a head injury or family history of violence or explosiveness					
	57. Dark thoughts, may involve suicidal or homicidal thoughts					
	58. Periods of forgetfulness or memory problems					
	59. Trouble staying focused					
	60. Spaciness or feeling in a fog					
	61. Overwhelmed by tasks of daily living					
	62. Feels tired, sluggish, or slow moving					
	63. Procrastination, failure to finish things					
	64. Chronic boredom					
	65. Loses things					
	66. Easily distracted					
	67. Forgetful					
	68. Poor planning skills					
	69. Difficulty expressing feelings					
	70. Difficulty expressing empathy for others					

This instrument used with the permission of Daniel Amen, M.D.